
Review Article

Impact of Microplastics on Human health: Time for us to get attentive- before it's too late!!

Sanjeev Dave¹, Priti Sinha², Anuradha V Dave³, Rajesh Jain⁴, Arvind Trivedi⁵, Rangeel Singh Raina⁶, Rashmi Pandey⁷, Ridima Kamal⁸

Authors Affiliation:

1. Professor, Department of community medicine, Autonomous State Medical College, Auraiya (Uttar Pradesh)- India-206244
2. Assistant Professor, Department of Biochemical Engineering & Biotechnology, Indian Institute of Technology, Delhi (India)
3. Department of community medicine, Subharti Medical College, Meerut (Uttar Pradesh)- India-250005
4. Professor, Rama University, Kanpur (Uttar Pradesh)- India
5. Principal & Professor Nephrology, Govt Medical College, Jalaun (Orai) Uttar Pradesh)- India
6. Principal & Professor, Govt Medical College, Haridwar, Uttarakhand, India Uttar Pradesh)- India
7. Assistant Professor Biochemistry, Govt Medical College, Haridwar, Uttarakhand, India Uttar Pradesh)- India
8. Public Health Consultant, Department of community medicine, All India Institute of Medical Sciences, New Delhi

Corresponding Author: Sanjeev Davey, Professor, Department of community medicine, Autonomous State Medical College, Auraiya (Uttar Pradesh)- India-206244, sanjeevdavey333@gmail.com

Abstract: -

Microplastics, defined as plastic particles smaller than 5 mm, have been detected in common environmental matrices such as drinking water, food, and air. Their pervasiveness has led to increasing human exposure, and their recent detection in human blood raises alarming concerns about systemic bioaccumulation and long-term health effects. Moreover, their adverse impact on biological systems, particularly on gastrointestinal, immune, and vascular health, has also become a growing concern as discussed in this review.

Introduction:

Microplastics have become ubiquitous in the global environment and are now recognized as a significant emerging pollutant. Recent studies indicate that microplastics can enter the human body through multiple exposure routes, including ingestion via food and water, as well as inhalation of airborne particles. Once inside the body, these particles may induce a range of adverse health effects, such as oxidative stress, immune dysregulation, and developmental abnormalities. Although research is still evolving, the detection of microplastics in critical biological matrices such as placental tissue and breast milk underscores the potential for systemic exposure and raises pressing public health concerns (Luo et al., 2019) ¹.

Recent studies have consistently reported the widespread presence of microplastics in various environmental matrices and human biological samples. Human exposure to microplastics can occur via multiple routes, including oral ingestion, inhalation, and dermal contact. Emerging evidence suggests that such exposure may induce a range of adverse health effects, such as oxidative stress, DNA damage, organ dysfunction, metabolic disturbances, immune dysregulation, neurotoxicity, and reproductive and developmental toxicity. Furthermore, epidemiological investigations have indicated potential associations between chronic diseases and microplastic exposure, highlighting a growing public health concern regarding their long-term biological impact ^[1].

Health Hazards of Microplastics^[2-7]

1. Oxidative Stress and Inflammation

- Microplastics can trigger oxidative stress in cells by producing reactive oxygen species (ROS).
- This oxidative damage contributes to chronic inflammation and may underlie various diseases including cardiovascular and neurodegenerative conditions.

2. Immune System Disruption

- Microplastics may impair immune cell function.
- This can lead to a compromised immune response, persistent low-grade inflammation, and increased vulnerability to infections and autoimmune conditions.

3. Reproductive and Developmental Toxicity

- Prenatal and early-life exposure to microplastics has been associated with reduced fertility, hormonal imbalances, and altered fetal development.
- Animal studies have shown negative effects on sperm quality, ovarian function, and offspring growth.

4. Genotoxicity and Carcinogenic Potential

- Microplastics can cause DNA damage and affect gene regulation.
- These genetic alterations are precursors to carcinogenesis, raising concerns about long-term cancer risks.

5. Organ-Specific Toxicities

- **Digestive System:** Ingested microplastics can alter gut microbiota, cause inflammation, and disrupt nutrient absorption.
- **Respiratory System:** Inhaled particles may cause chronic irritation and lung damage.
- **Endocrine System:** Some microplastics carry endocrine-disrupting chemicals like BPA, leading to hormonal imbalances.
- **Reproductive System:** Alters reproductive hormones and damages reproductive tissues in experimental models.

6. Respiratory Hazards through Inhalation

- Airborne microplastics, especially in occupational settings (e.g., textile industries), are linked with respiratory diseases such as asthma, fibrosis, and chronic obstructive pulmonary disease (COPD).

7. Dietary Exposure and Bioaccumulation

- Microplastics are found in seafood, salt, honey, bottled water, and even vegetables.
- Continuous ingestion leads to bioaccumulation in tissues, which may trigger systemic toxicity over time.

Literature Review

Microplastic (MP) pollution is escalating globally, posing substantial threats to ecological systems and human health. MPs, defined as plastic particles less than 5 mm in size, are now considered pervasive environmental pollutants. MPs can alter the gut microbiome, compromise the intestinal barrier, and provoke inflammatory responses in the gastrointestinal (GI) tract. Animal model studies demonstrate a statistically significant correlation between MP exposure and GI health deterioration, underlining the systemic implications of such exposure ⁽¹⁸⁾.

A pioneering human study by Leonard et al. (2024) ⁽⁹⁾ analyzed blood samples from 20 healthy volunteers and detected 24 distinct polymer types in 18 participants (90%). These included endocrine-disrupting compounds such as phthalates. The presence of MPs in human blood raises concerns regarding their translocation to other organs and their potential to cause systemic effects, including vascular inflammation, immunomodulation, and thrombotic risks.

The work of Rajendran and Chandrasekaran (2023) ⁽¹⁰⁾ offers deeper insights into the toxic-dynamics of micro- and nanoplastics (MNPs) in the bloodstream. Their findings report a cascade of pathological effects, including protein denaturation, hemolysis, impaired immunity, coagulation anomalies, and endothelial cell damage. MNPs interfere with erythropoiesis, disturb stem cell proliferation, and promote red blood cell and platelet aggregation. These cellular-level

changes increase the risk of thrombosis and cardiovascular complications. Crucially, MNPs also induce inflammation through immune cell phagocytosis, underscoring their role in systemic immune activation. Protein corona formation, oxidative stress, cytokine dysregulation, and genotoxicity were identified as key mechanisms underlying MNP toxicity. Additionally, the study emphasized significant research gaps, especially in evaluating the combined toxicity of MNPs with co-pollutants, dose–response relationships, human *in vivo* data, and advanced bioanalytical techniques for MP detection.

Further advancing this area, a recent investigation ^[11] employed double-shot pyrolysis gas chromatography/mass spectrometry to identify plastic particles ≥ 700 nm in blood from 22 healthy individuals. This method confirmed, for the first time, the internal exposure to high-production volume plastic polymers in human whole blood. These results substantiate the bioavailability of MPs and call for urgent toxicological assessments to understand their clinical implications.

Cumulatively, the literature underscores the urgent need for robust human studies to evaluate the pathophysiological impacts of MPs on the circulatory system. Evidence now implicates MPs in chronic diseases through vascular inflammation, disruption of endothelial function, immune system perturbation, and haematological toxicity. These findings necessitate policy-level interventions and comprehensive biomonitoring studies to better assess human exposure and associated health risks.

What further Research studies say?

Recent research has provided emerging evidence that microplastics (MPs) are present in human blood, with potential implications for systemic health. Several key studies are outlined below:

Microplastic Presence in Human Blood

- Leonard et al. (2024) ^[9-16] conducted a pivotal study on 20 healthy volunteers and detected 24 polymer types in the blood of 90% of participants. Five polymers crossed the quantification threshold, with a mean $\pm$ SD of 2466 ± 4174 MP/L and plastic concentrations ranging from 1.84–4.65 $\mu\text{g/mL}$. Predominant fragments included polyethylene (32%), ethylene propylene diene (14%), and ethylene–vinyl-acetate/alcohol (12%). The fragments were primarily white/clear (79%), with a mean length of 127.99 μm and width of 57.88 μm . Endocrine-disrupting phthalates were also detected among plastic additives.
- Leslie et al. (2022) ^[11] corroborated the presence of MPs in a separate donor group, reporting a mean concentration of 1.6 $\mu\text{g/mL}$ in blood. The major polymers included polyethylene terephthalate, polyethylene, and styrene-based plastics, with polypropylene below quantification limits. This was a pioneering effort to quantify polymeric mass concentrations in human blood, confirming bioavailability and systemic circulation.

Health Impacts from Experimental Models

- Rajendran and Chandrasekaran ^[10] reviewed *in vitro* studies showing MPs induce cytotoxicity, genotoxicity, and oxidative stress in blood cells. Such impacts are linked to blood disorders like anaemia, thrombosis, cardiac issues, and immune dysfunction. These results support potential extrapolation of MP toxicity from models to human health implications.

Routes of Exposure and Systemic Risk

- Studies by Winiarska et al. (2023) ^[13] and Emenike et al. (2023) ^[14] have emphasized that MPs and nanoplastics (MNPs) can induce cell apoptosis, immune disruption, and gastrointestinal/endocrine dysfunction. Key exposure routes include ingestion, inhalation, and dermal absorption, with respiratory and cardiovascular effects particularly noted from airborne MPs.
- Bhuyan (2022) ^[15] highlighted MPs in aquatic food chains, noting that fish—being a major protein source for humans—can act as MP vectors. MPs induce neurotoxicity, oxidative stress, and immune modulation in fish, suggesting similar risks upon human consumption.

Knowledge Gaps

- While the detection of MPs in blood is a crucial development, study ^[12] highlighted the lack of standardized human toxicological studies, particularly focusing on how particle type, size, shape, and dose influence health.
- All these above studies including other studies ^[14-21] collectively confirm that microplastic particles are bioavailable and circulate in the human bloodstream, posing potential risks through oxidative stress, inflammation, and disruption of normal blood functions. Although preliminary, this evidence calls for deeper investigation into endothelial and red blood cell integrity, systemic effects, and standardized human health risk assessment frameworks.

Micro- and Nanoplastics (MNPs): Emerging Threats to Human and Environmental Health^[19-21]

Micro- and nanoplastics (MNPs) have also emerged as a significant environmental concern due to their widespread distribution and potential adverse impacts on both ecosystems and human health. Numerous studies have demonstrated the toxic effects of MNPs and their complexes with other environmental pollutants on aquatic and terrestrial organisms. These synthetic particles are capable of adsorbing and transporting hazardous chemicals, thereby amplifying their toxicity.

Recent evidence has highlighted the presence of MNPs in dynamic biological environments such as the human bloodstream. This discovery opens a new and critical area of investigation, particularly concerning their interactions with blood components. MNPs can adsorb plasma proteins and complement proteins, leading to the formation of a “protein corona.” This alters their physicochemical properties and influences their biological behaviour, including cellular uptake, immune recognition, and potential toxicity.

Role of Microfluidic systems^[19]

The development of microfluidic systems has greatly enhanced the detection capabilities for MNPs, offering high sensitivity and specificity. These platforms not only improve our understanding of MNP behaviour in biological systems but also contribute to global efforts toward pollution characterization, mitigation, and the pursuit of a greener, healthier planet.

Conclusion:

Given the scale of microplastic pollution and its implications for both environmental and human health, there is an urgent need for accurate detection and risk assessment. Most current research is still environmental, with limited direct human health data. However, more research is needed to understand the cellular and molecular mechanisms of microplastic toxicity and related pathologies.

References:

1. Yue Li, Le Tao, Qiong Wang, Fengbang Wang, Gang Li, and Maoyong Song. Potential Health Impact of Microplastics: A Review of Environmental Distribution, Human Exposure, and Toxic Effects. *Environment & Health* 2023 1 (4), 249-257.
2. Kremer, A. M.; Pal, T. M.; Boleij, J. S. M.; Schouten, J. P.; Rijcken, B. Airway Hyperresponsiveness, Prevalence of Chronic Respiratory Symptoms, and Lung-Function in Workers Exposed to Irritants. *Occup. Environ. Med.* 1994, 51 (1), 3– 13, DOI: 10.1136/oem.51.1.3
3. Eschenbacher, W. L.; Kreiss, K.; Loughheed, M. D.; Pransky, G. S.; Day, B.; Castellan, R. M. Nylon Flock-Associated Interstitial Lung Disease. *Am. J. Respir. Crit. Care Med.* 1999, 159 (6), 2003– 2008, DOI: 10.1164/ajrccm.159.6.9808002
4. Yan, Z.; Liu, Y.; Zhang, T.; Zhang, F.; Ren, H.; Zhang, Y. Analysis of Microplastics in Human Feces Reveals a Correlation between Fecal Microplastics and Inflammatory Bowel Disease Status. *Environ. Sci. Technol.* 2022, 56 (1), 414– 421, DOI: 10.1021/acs.est.1c03924
5. Horvatits, T.; Tamminga, M.; Liu, B.; Sebode, M.; Carambia, A.; Fischer, L.; Puschel, K.; Huber, S.; Fischer, E. K. Microplastics Detected in Cirrhotic Liver Tissue. *EBioMedicine* 2022, 82, 104147, DOI: 10.1016/j.ebiom.2022.104147
6. Wu, D.; Feng, Y.; Wang, R.; Jiang, J.; Guan, Q.; Yang, X.; Wei, H.; Xia, Y.; Luo, Y. Pigment Microparticles and Microplastics Found in Human Thrombi Based on Raman Spectral Evidence. *J. Adv. Res.* 2023, 49, 141– 150, DOI: 10.1016/j.jare.2022.09.004
7. Ece, E.; Haciosmano˘ glu, N.; Inci, F. Microfluidics as a Ray of Hope for Microplastic Pollution. *Biosensors* 2023, 13, 332. <https://doi.org/10.3390/bios13030332>.
8. Ravindra, K., Kaur, M. & Mor, S. Impacts of microplastics on gut health: Current status and future directions. *Indian J Gastroenterol* (2025). <https://doi.org/10.1007/s12664-025-01744-0>
9. Sophie V. L. Leonard Matthew Watkins c a, Catriona R. Liddle a, Simon D. J. Calaminus a, Charlotte A. Atherall a, * a, Emma Chapman, Jeanette M. Microplastics in human blood: Polymer types, concentrations and characterisation using μ FTIR Rotchell Environment International (2024) 188 108751.
10. Journey of micronanoplastics with blood components. Durgalakshmi Rajendran and Natarajan Chandrasekaran Received 17th August 2023 RSC Adv.,2023,13,31435
11. Heather A. Leslie J. Garcia-Vallejo a , Martin J.M. van Velzen c , Marja H. Lamoree.Discovery and quantification of plastic particle pollution in human blood. *Environment International* 2022; 163 10719
12. Lee Y, Cho J, Sohn J, Kim C. Health Effects of Microplastic Exposures: Current Issues and Perspectives in South Korea. *Yonsei Med J.* 2023 May;64(5):301-308.
13. Ewa Winiarska a, Marek Jutel , Magdalena Zemelka-Wiacek. The potential impact of nano- and microplastics on human health:Understanding human health risks. *Environmental Research* 251 (2024): 118535.

14. Ebuka Chizitere Emenike , Chika J. Okorie , Toluwalase Ojeyemi , Abel Egbemhenghe, Kingsley O. Iwuozor, Oluwaseyi D. Saliu, Hussein K. Okoro , Adewale George Adeniyi. From oceans to dinner plates: The impact of microplastics on human health. *Heliyon* 9 (2023) e20440.
15. Bhuyan MS. Effects of Microplastics on Fish and in Human Health. REVIEW article. *Front. Environ. Sci.*, 16 March 2022 Sec. Toxicology, Pollution and the Environment Volume 10 - 2022 |
16. Sophie V. L. Leonard a, Catriona R. Liddle a, Charlotte A. Atherall a, Emma Chapman b, Matthew Watkins c, Simon D. J. Calaminus a*, Jeanette M. Rotchell b,c,* Microplastics in human blood: Polymer types, concentrations and characterisation using μ FTIR. *Environment International* 2024;188 :108751
17. Niu H, Liu S, Jiang Y, Hu Y, Li Y, He L, Xing M, Li X, Wu L, Chen Z, et al. Are Microplastics Toxic? A Review from Eco-Toxicity to Effects on the Gut Microbiota. *Metabolites*. 2023; 13(6):739.
18. Dey, T.K., Uddin, M.E. & Jamal, M. Detection and removal of microplastics in wastewater: evolution and impact. *Environ Sci Pollut Res* (2021): **28**, 16925–16947.
19. Gong, L., Martinez, O., Mesquita, P. *et al.* A microfluidic approach for label-free identification of small-sized microplastics in seawater. *Sci Rep* **13**, 11011 (2023).
20. Ly, N.H., Kim, MK., Lee, H. *et al.* Advanced microplastic monitoring using Raman spectroscopy with a combination of nanostructure-based substrates. *J Nanostruct Chem* **12**, 865–888 (2022).
21. Damià Barceló, Yolanda Picó, Ahmed H. Alfarhan. Microplastics: Detection in human samples, cell line studies, and health impacts. *Environmental Toxicology and Pharmacology*. Volume 101, August 2023, 104204

Funding -Nil

Acknowledgement:

Prof Dr Sanjeev Dave is especially thankful to Dr Priti Sinha from IIT Delhi for giving this idea of doing further research on this topic and he is also thankful to all rest 6 authors for supporting this study by all means.

• Conflict of Interest Statement

All the authors declared “No Conflict of Interest” with this publication and retain the Rights for this publication.

• Additional Information

The article is Open Access and are licensed under a Creative Commons Attribution 4.0 International License, visit <http://creativecommons.org/licenses/by/4.0/> and authors retains all rights.

- **DOI:** <https://doi.org/10.62996/daj.46122025>

Cite this Article:

Sanjev Dave ¹ , Priti Sinha ² , Anuradha V Dave ³ , Rajesh Jain ⁴ , Arvind Trivedi ⁵ , Rangeel Singh Raina ⁶ , Rashmi Pandey ⁷ , Ridima Kamal ⁸ . Impact of Microplastics on Human health: Time for us to get attentive- before it's too late. <i>Diabetes Asia Journal</i> ;1(3):25-30. https://doi.org/10.62996/daj.46122025
--